TRUSTA PLUS

Aslam Company For Dental Equipment
Bab Ben Gisheer street
Tripoli
Libya
Web: www.aslam.ly
Email:info@aslam.ly
Mobile: 00218 91174 0915

More treatment flexibility contribute to smooth workflows

Flexible swing makes the treatment space wider.

Fashion type A4

- Rotatable connection pole of sidebox, it makes dental chair easy to enter into a narrow door less than 80cm, improving the installation efficiency.
- The shock-resistant function integrates the updated chair frame and ergonomics cushion, maximize the comfort for patient's treatment.
- Bigger instrument holder, with 6 racks for instrument tray, 5 racks for assistant tray.



Flexible for Optimal Operation

More styles to meet your needs in various scenes

Hanging type A4

- The direct instrument tray on the dentist side, providing a wider range for treatment, easy for you to control the patient chair and all functions with fingertip .
- Super-low initial position up to 39-40cm.
- The instrument tray can be vertically adjusted by pressing the air-lock and rotate the tray for optimal position.

Cart Type A4

- Cart type dental chair creates more possibilities for treatment , dentist is able to adjust the cart height for optimal treatment position.

European luxury, high-end and modern

Comfortable, convenient and humanized, making your treatment more efficient.

Top mounted A4

- The intuitive instrument tray on the dentist side, easy for you to control the patient chair and instrument functions with fingertip .
- Featured with silicone pad and extra tray for instrument use.
- The instrument tray can be vertically adjusted by press the air-lock and rotate the tray for optimal position.

Clean up position " C ",
helpful to clean rapidly and prepare for next surgery.

Emergency position " ✚ ",
to avoid risks for users, it helps dentist to save the patient's life in the shortest time when the emergency happens.

Intelligent Voice Control

TRUSTA dental chair has a built-in Intelligent Voice Control Operating System, it enables dentists to control the most often used functions by voice commands, Dentist could activate the dental chair by saying "Hey ESAY", the chair will respond with "Hello there", then dentist could control the appointed often used functions by voice recognition commands.



Adjustable water knob

135 degrees rotatable instrument rack

Rotatable sidebox for 4 - handed operation use

The dentist could cooperate with an assistant to provide a better treatment experience.

Ergonomic Upholstery

PU upholstery with high-elastic sponge, soft and breathable,

ensures the comfort of treatment.



The special designed ultra-thin backrest, combines comfort and aesthetics.

3-axis headrest, suitable for adults、children and patients with a wheelchair.

The sidebox is connected to the middle of the chair frame, makes the whole chair more stable.

90 degrees rotatable sidebox

Detachable sidebox cover

Double seal ring connector,well sealed.
Reinforced filter,durable and easy to clean.

180 degrees rotatable ceramic cuspidor

Improve your work efficiency

The most elegant skill is to show your mind by details.

Ti-Alloy handpiece tubes connector

Imported 3-way syringe

Multi-functional assistant tray

Skid-proof armrest

6 directions adjustable dentist stool

Multi-functional foot pedal with corrugated stainless steel pipe

T.MASTER LED Operating Light

- The T.MASTER LED operating light can be rotated freely at different angles to ensure perfect illumination, it also provides different brightness according to the clinical needs.The maximum light intensity is 25000 lux.
- Featured PIR sensor, easily control on and off, and adjust the light intensity by sensor.
- The sealed front protective cover is easy to clean, the detachable lamp handles are easy to replace and clean.

Colour Options → Popular colours ★★★

PU

Options

LED curing light

Scaler

Handpiece

Electric motor

Intra oral camera with support

ECG

T.Master teaching recording lamp

T.Master dental simulator

WINQ wet suction

WINQ portable suction

WINQ oilless air compressor

WINQ central air suction

Specification



Built-in floor-box installation sketch map



External floor-box installation sketch map



Pre-buried pipe distribution map

Input voltage: 230V ± 10%,50Hz

Water pressure: 0.2-0.4Mpa/2.0-4.0 bar

Air pressure: 0.55-0.8Mpa/5.5-8.0 bar

Gross weight: 190KG